

Page: 1 of 14

La Kaffa International Co., Ltd.

No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County, Taiwan

Report No.: AFA24103891M01

Date: 2024/01/17



<u>Product Name:</u> Featured Black Tea(Aromatic Black Tea)

<u>Sample Packaging:</u> Please refer to the photos for sample shown at the page of this report

Sample Condition/Amount: Ambient temp./1 piece

<u>Item No. :</u> TL0001700

Lot. No. :

Applicant: La Kaffa International Co., Ltd.

Applicant address/

telephone number/ No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County 30274, Taiwan/-/Quality Control Dept.

contact person :

Manufacturer/Vendor: —

Manufacture Date: —

Expiry Date : 2025/12/11

The above sample information is provided and confirmed by the applicant.

<u>Sample Received</u>: 2024/01/15 <u>Testing Date</u>: 2024/01/15

<u>Test Results:</u> -Please refer to next page(s)-

Chengchyali sai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.





Page: 2 of 14

La Kaffa International Co., Ltd. No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County, Taiwan Report No.: AFA24103891M01

Date: 2024/01/17



Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit
Perchlorate	TFDA Suggestion Method published on 2016/10/13. Method of Test for Perchlorate in Tea.(TFDAO0026.00)	N.D.	0.1	ppm

Note:

- 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.
- 2. This testing report contains 14 pages and it's invalid when they are separated.
- 3. If the testing item belongs to quantitative analysis then this column describes Limit of Quantification(LOQ); If the testing item belongs to qualitative analysis then this column describes Limit of Detection(LOD).
- 4. Result reported as "N.D." or "Negative" denotes value lower than LOQ/LOD.
- 5. All items in this testing report is based on the request from client and we are responsible for that.
- 6. The report, AFA24103891M01, was reissued on 2024/01/17.

- FND



Page: 3 of 14

La Kaffa International Co., Ltd.

Report No.:

AFA24103891M01

No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County, Taiwan

Date: 2024/01/17

Product Name: Featured Black Tea(Aromatic Black Tea)

Please refer to the photos for sample shown at the page of this report Sample Packaging:

Sample Condition/Amount: Ambient temp./1 piece

TL0001700 Item No.:

Lot. No.:

Applicant: La Kaffa International Co., Ltd.

Applicant address/telephone number/contact person :

No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County 30274, Taiwan/-/Quality Control Dept.

Manufacturer/Vendor: Manufacture Date :

Expiry Date: 2025/12/11

The above sample information is provided and confirmed by the applicant.

Sample Received: 2024/01/15 2024/01/15 Testing Date:

Test Requested: Determination of the pesticides

Test Method1. Refer to AOAC Official Method 2007.01 (2007) Pesticide Residues in Foods by Acetonitrile

Extraction and Partitioning with Magnesium Sulfate.

Test Results: The sample was tested for Determination of 488 pesticide residues, and the

results were found to be not detected with those pesticides as listed.

Note:

- 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.
- 2. This testing report contains 14 pages and it's invalid when they are separated.
- 3. The result will be consolidated as above table if it is greater than detection limit. However, the result will be shown as "N.D.", when it's less than detection limit. The testing items and its detection limit are included in the appendix.
- 4. "*" Indicates lower limit of analytical determination of announced test method. Please refer to the latest announcement if there is a test method revision.
- 5. All items in this testing report is based on the request from client and we are responsible for that.
- 6. Test method 1. is not applicable to the determination of Benfuracarb, Pymetrozine and Nitenpyram in samples like Class III (samples including dry tea, fruits and vegetables, spices and other herbs containing high amount of pigments).
- 7. 410 items in the appendix which are from test items of MOHW Food No. 1111901537 Method of Test for Pesticide Residues in Food-Multi-Residue Analysis(5)

8. The report is for risk management/export use only.

The report, AFA24103891M01, was reissued on 2024/01/17.

Tsai, Manager Signed for and on behalf of

SGS Taiwan Ltd.

- END -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein new your holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd.



Page: 4 of 14

Appendix

Report No. : AFA24103891M01

Date: 2024/01/17

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List:

<u>D</u> e	Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List : Unit: ppm					
No.	Test Item	LOQ	No.	Test Item	LOQ	
1.	Abamectin	0.05	41.	δ-ΒΗС	0.05	
2.	Acephate	0.05	42.	Bifenazate	0.05	
3.	Acequinocyl	0.05	43.	Bifenox	0.05	
4.	Acequinocyl-hydroxyl	0.05	44.	Bifenthrin	0.03	
5.	Acetamiprid	0.05	45.	s-Bioallethrin	0.1	
6.	Acetochlor	0.05	46.	Bitertanol	0.05	
7.	Acibenzolar-S-methyl	0.05	47.	Boscalid	0.05	
8.	Acrinathrin	0.05	48.	Bromacil	0.05	
9.	Alachlor	0.05	49.	Bromobutide	0.05	
10.	Alanycarb	0.05	50.	Bromophos	0.05	
11.	Aldicarb	0.02	51.	Bromophos-ethyl	0.05	
12.	Aldicarb sulfone	0.02	52.	Bromopropylate	0.05	
13.	Aldicarb sulfoxide	0.02	53.	Bromuconazole	0.05	
14.	Aldrin	0.03	54.	Bufencarb	0.03	
15.	Allethrin	0.1	55.	Bupirimate	0.05	
16.	Alloxydim(sodium)	0.05	56.	Buprofezin	0.05	
17.	Ametoctradin	0.05	57.	•		
18.	Ametryn	0.05	58.	Butafenacil	0.05	
19.	Amisulbrom	0.05	59.	Butocarboxim	0.05	
20.	Aramite	0.05	60.	Butralin	0.05	
21.	Atrazine	0.05	61.	Butylate	0.05	
22.	Azaconazole	0.05	62.	Cadusafos	0.05	
23.	Azafenidin	0.05	63.	Carbaryl	0.05	
24.	Azimsulfuron	0.02	64.	Carbendazim	0.05	
25.	Azinphos-methyl	0.1	65.	Carbofuran	0.05	
26.	Aziprotryne	0.05	66.	3-keto Carbofuran	0.05	
27.	Azoxystrobin	0.05	67.	3-OH carbofuran	0.05	
28.	Benalaxyl	0.05	68.	Carbophenothion	0.05	
29.	Bendiocarb	0.05	69.	Carbosulfan	0.05	
30.	Benfluralin	0.05	70.	Carboxin	0.05	
31.	Benfuracarb	Note 6	71.	Carfentrazone-ethyl	0.05	
32.	Benoxacor	0.05	72.	Carpropamid	0.05	
33.	Bensulfuron-methyl	0.05	73.	Chinomethionat	0.05	
34.	Bentazone	0.05	74.	Chlorantraniliprole	0.03	
35.	Benthiazole	0.05	75.	Chlorbenside	0.05	
36.	Benzovindiflupyr	0.05	76.	Chlorbenzuron	0.05	
37.	Benzoximate	0.05	77.	Chlorbufam	0.02	
38.	α-ВНС	0.03	78.	Chlorfenapyr	0.05	
39.	β-ВНС	0.05	79.	Chlorfenson	0.05	
40.	y-BHC (Lindane)	0.05	80.	Chlorfenvinphos	0.05	



Page: 5 of 14

Appendix

Report No. : AFA24103891M01

Date: 2024/01/17

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List:

<u>De</u>	termination of 488 pesticide residues-multires	od Test Items & LOQ List:	Unit: ppm		
No.	Test Item	LOQ	No.	Test Item	LOQ
81.	Chlorfluazuron	0.05	121.	Cyphenothrin	0.05
82.	Chlorobenzilate	0.05	122.	Cyproconazole	0.05
83.	Chloropropylate	0.02	123.	Cyprodinil	0.05
84.	Chlorothalonil	0.05	124.	Deguelin	0.05
85.	Chloroxuron	0.02	125.	Deltamethrin	0.03
86.	Chlorpropham	0.05	126.	Demeton O&S	0.05
87.	Chlorpyrifos	0.03	127.	Demeton-S-methyl	0.05
88.	Chlorpyrifos-methyl	0.05	128.	Dialifos	0.05
89.	Chlorthal-dimethyl	0.05	129.	Di-allate	0.05
90.	Chlorthiophos	0.05	130.	Diazinon	0.05
91.	Chlozolinate	0.05	131.	Dichlofenthion	0.05
92.	Chromafenozide	0.05	132.	Dichlormid	0.05
93.	Cinidon-ethyl	0.02	133.	Dichlorvos	0.05
94.	Cinosulfuron	0.05	134.	Diclofop-methyl	0.05
95.	cis-Chlordane	0.05	135.	Dicloran	0.05
96.	Clethodim	0.05	136.	Dicofol&DCBP	0.05
97.	Clofentezine	0.05	137.	Dicrotophos	0.05
98.	Clomazone	0.05	138. Dieldrin		0.05
99.	Clomeprop	0.05	139. Diethofencarb		0.05
100.	Clothianidin	0.03	140.	Difenoconazole	0.05
101.	Coumaphos	0.05	141.	Diflubenzuron	0.05
102.	CPMC (Etrofol)	0.05	142.	Diflufenican	0.05
103.	Cyanazine	0.05	143.	2,6-Diisopropylnaphthalene(2,6-DIPN)	0.5
104.	Cyanofenphos	0.05	144.	Dimepiperate	0.05
105.	Cyanophos	0.05	145.	Dimethametryn	0.05
106.	Cyantraniliprole	0.05	146.	Dimethenamid	0.05
107.	Cyazofamid	0.05	147.	Dimethipin	0.05
108.	Cyclaniliprole	0.05	148.	Dimethoate	0.05
109.	Cycloprothrin	0.02	149.	Dimethomorph	0.05
110.	Cyclosulfamuron	0.05	150.	Diniconazole	0.05
111.	Cycloxydim	0.05	151.	Dinitramine	0.05
112.	Cyenopyrafen	0.05	152.	Dinotefuran	0.05
113.	Cyflufenamid	0.05	153.	Diofenolan	0.05
114.	Cyflumetofen	0.05	154.	Dioxathion	0.02
115.	Cyfluthrin	0.03	155.	Diphenamid	0.05
116.	Cyhalofop-butyl	0.05	156.	Diphenylamine	0.05
117.	λ-Cyhalothrin	0.03	157.	Disulfoton	0.05
118.	Cymoxanil	0.05	158.	Ditalimfos	0.03
119.	Cypermethrin	0.03	159.	Dithiopyr	0.05
400		1	1	1	2.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

160.

Diuron

0.03

120.

α-cypermethrin

0.05



Page: 6 of 14

Appendix

Report No. : AFA24103891M01

Date: 2024/01/17

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List:

No.	Test Item	LOQ	No.	Test Item	LOQ
161.	Dymron	0.05	201.	Fensulfothion	0.05
162.	Edifenphos	0.05	202.	Fenthion	0.05
163.	Emamectin benzoate B1a	0.00	203.	Fenvalerate	0.03
164.	Emamectin benzoate B1b	0.03	204.	Ferimzone	0.05
165.	α-Endosulfan	0.05	205.	Fipronil	0.002
166.	β-Endosulfan	0.05	206.	Fipronil sulfide	0.05
167.	Endosulfan-sulfate	0.05	207.	Fipronil-desulfinyl	0.05
168.	Endrin	0.05	208.	Fipronil-sulfone	0.002
169.	EPN	0.03	209.	Flamprop-methyl	0.05
170.	Epoxiconazole	0.05	210.	Flazasulfuron	0.05
171.	Esfenvalerate	0.03	211.	Flonicamid	0.05
172.	Etaconazole	0.05	212.	Florpyrauxifen-benzyl	0.05
173.	Ethalfluralin	0.05	213.	Fluacrypyrim	0.05
174.	Ethiofencarb	0.02	214.	Fluazifop-P-butyl	0.05
175.	Ethion	0.05	215.	Fluazinam	0.05
176.	Ethiprole	0.05	216.	Flubendiamide	0.05
177.	Ethirimol	0.05	217.	Flucythrinate	0.05
178.	Ethoprophos	0.05	218.	Fludioxonil	0.06
179.	Etofenprox	0.05	219.	Fluensulfone	0.05
180.	Etoxazole	0.05	220.	Flufenoxuron	0.05
181.	Etridiazole	0.05	221.	Fluopicolide	0.03
182.	Etrimfos	0.05	222.	Fluopyram	0.05
183.	Famoxadone	0.05	223.	Fluoroglycofen-ethyl	0.05
184.	Fenamiphos	0.05	224.	Flupyradifurone	0.05
185.	Fenarimol	0.05	225.	Fluquinconazole	0.05
186.	Fenazaquin	0.05	226.	Fluroxypyr-meptyl	0.05
187.	Fenbuconazole	0.05	227.	Flurtamone	0.02
188.	Fenbutatin-oxide	0.05	228.	Flusilazole	0.05
189.	Fenchlorphos	0.25	229.	Flutolanil	0.05
190.	Fenhexamid	0.05	230.	Flutriafol	0.05
191.	Fenitrothion	0.05	231.	Fluvalinate	0.05
192.	Fenobucarb	0.05	232.	Fluxapyroxad	0.03
193.	Fenothiocarb	0.05	233.	Fonofos	0.05
194.	Fenoxanil	0.05	234.	Formetanate	0.05
195.	Fenoxaprop-ethyl	0.05	235.	Formothion	0.05
196.	Fenoxycarb	0.05	236.	Fosthiazate	0.05
197.	Fenpropathrin	0.05	237.	Fthalide	0.05
198.	Fenpropimorph	0.05	238.	Furametpyr	0.05
199.	Fenpyrazamine	0.05	239.	Furathiocarb	0.02
200.	Fenpyroximate	0.05	240.	Halfenprox	0.05



Page: 7 of 14

Appendix

Report No. :

AFA24103891M01

Date: 2024/01/17

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List :

No.	Test Item	LOQ	No.	Test Item	LOQ
241.	Haloxyfop-methyl	0.05	281.	Mefenacet	0.05
242.	Heptachlor	0.05	282.	282. Mefentrifluconazole	
243.	Heptachlor epoxide	0.05	283.	Mepanipyrim	0.05
244.	Heptenophos	0.05	284.	Mephosfolan	0.05
245.	Hexachlorobenzene	0.02	285.	Mepronil	0.05
246.	Hexaconazole	0.05	286.	Metaflumizone	0.05
247.	Hexaflumuron	0.05	287.	Metalaxyl	0.05
248.	Hexazinone	0.05	288.	Metazachlor	0.05
249.	Hexythiazox	0.05	289.	Metconazole	0.05
250.	Imazalil	0.05	290.	Methacrifos	0.05
251.	Imazamethabenz-methyl	0.05	291.	Methamidophos	0.05
252.	Imibenconazole	0.1	292.	Methidathion	0.05
253.	Imicyafos	0.05	293.	Methiocarb	0.05
254.	Imidacloprid	0.05	294.	Methomyl	0.05
255.	Imidaclothiz	0.02	295.	Methoprene	0.05
256.	Indoxacarb	0.01	296.	Methoxychlor	0.05
257.	Iprobenfos	0.05	297.	•	
258.	Iprodione	0.05	298.		
259.	Iprovalicarb	0.05	299. Metobromuron		0.05
260.	Isazofos	0.05	300.		
261.	Isocarbophos	0.05	301.		
262.	Isofenphos	0.05	302.	Metrafenone	0.05
263.	Isofenphos-methyl	0.02	303.	Metribuzin	0.05
264.	Isofetamid	0.05	304.	Mevinphos	0.05
265.	Isoprocarb	0.05	305.	Milbemectin A3	0.05
266.	Isoprothiolane	0.05	306.	Milbemectin A4	0.05
267.	Isopyrazam	0.05	307.	Mirex	0.05
268.	Isotianil	0.05	308.	Molinate	0.05
269.	Isouron	0.05	309.	Monocrotophos	0.05
270.	Isoxaflutole	0.05	310.	Monolinuron	0.02
271.	Isoxathion	0.1	311.	MPMC (Xylylcarb)	0.05
272.	Jodfenphos	0.05	312.	Myclobutanil	0.05
273.	Kresoxim-methyl	0.05	313. Napropamide 0.05		0.05
274.	Leptophos	0.05	314. Nitenpyram Note 6		Note 6
275.	Linuron	0.05	315.	Nitrothal-isopropyl	0.05
276.	Lufenuron	0.05	316.	Norflurazon	0.05
277.	Malaoxon	0.05	317.	Novaluron	0.05
	Malathion	0.05	318.	Nuarimol	0.05
070	Manualla and a social	0.00	0.10	I DDD	0.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

319.

320.

0.03

0.05

o,p'-DDD

o,p'-DDE

279.

280.

Mandipropamid

Mecarbam

0.02

0.02



Page: 8 of 14

Appendix

Report No. : AFA24103891M01

Date: 2024/01/17

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List :

No.	Test Item	LOQ	No.	Test Item	LOQ
321.	o,p'-DDT	0.02	360.	60. Phoxim	
322.	Octachlorostyrene	0.05	361.	361. Picolinafen	
323.	Omethoate	0.05	362.	362. Pinoxaden	
324.	Oryzalin	0.05	363.	Piperonyl butoxide	0.05
325.	Oxadiazon	0.05	364.	Piperophos	0.05
326.	Oxadixyl	0.05	365.	Pirimicarb	0.05
327.	Oxamyl	0.05	366.	Pirimiphos-ethyl	0.05
328.	Oxathiapiprolin	0.05	367.	Pirimiphos-methyl	0.05
329.	Oxycarboxin	0.05	368.	Prallethrin	0.02
330.	Oxychlordane	0.05	369.	Pretilachlor	0.05
331.	Oxydemeton-Methyl	0.05	370.	Probenazole	0.05
332.	Oxyfluorfen	0.05	371.	Prochloraz	0.05
333.	p,p'-DDD	0.02	372.	Procymidone	0.05
334.	p,p'-DDE	0.02	373.	Profenophos	0.05
335.	p,p'-DDT	0.02	374.	Promecarb	0.02
336.	Paclobutrazol	0.05	375.	Prometryn	0.05
337.	Paraoxon	0.05	376.	Propachlor	0.05
338.	Parathion	0.05	377.	Propamocarb hydrochloride	0.05
339.	Parathion-methyl	0.05	378.	Propanil	0.05
340.	Penconazole	0.05	379.	Propaphos	0.05
341.	Pencycuron	0.05	380.	Propargite	0.05
342.	Pendimethalin	0.05	381.	Propazine	0.05
343.	Penflufen	0.05	382.	Propham	0.02
344.	Penoxsulam	0.05	383.	Propiconazole	0.05
345.	Pentachloroaniline	0.02	384.	Propoxur	0.05
346.	Pentachloroanisole	0.05	385.	Propyzamide	0.05
347.	Pentachlorobenzene	0.05	386.	Proquinazid	0.05
348.	Penthiopyrad	0.05	387.	Prosulfocarb	0.02
349.	Permethrin	0.05	388.	Prothiofos	0.05
350.	Phenothiol	0.05	389.	Prothoate	0.05
351.	Phenothrin	0.05	390.	Pydiflumetofen	0.05
352.	Phenthoate	0.05	391.	Pyflubumide	0.05
353.	2-Phenylphenol	0.05	392.	Pymetrozine	Note 6
354.	Phorate	0.05	393.	Pyracarbolid	0.05
355.	Phosalone	0.05	394.	Pyraclofos	0.05
356.	Phosfolan	0.02	395.	Pyraclostrobin	0.05
357.	Phosfolan-methyl	0.02	396.	Pyraflufen-ethyl	0.05
358.	Phosmet	0.05	397.	Pyrazophos	0.05
359.	Phosphamidon	0.05	398.	Pyrazosulfuron-ethyl	0.05



Page: 9 of 14

Appendix

Report No. :

AFA24103891M01

Date: 2024/01/17

Unit: ppm

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List:

No.	Test Item	LOQ	No.	Test Item	LOQ
399.	Cinerin I		439.	Tebuconazole	0.05
400.	Cinerin II		440.	Tebufenozide	0.05
401.	Jasmolin I	0.05	441.	Tebufenpyrad	0.05
402.	Jasmolin II	0.05	442.	Tebuthiuron	0.05
403.	Pyrethrin I		443.	Tecnazene	0.05
404.	Pyrethrin II		444.	Teflubenzuron	0.05
405.	Pyribencarb	0.05	445.	Tefluthrin	0.05
406.	Pyridaben	0.05	446.	Tepraloxydim	0.05
407.	Pyridaphenthion	0.05	447.	Terbufos	0.05
408.	Pyridate	0.05	448.	Terbutryn	0.05
409.	Pyrifenox	0.05	449.	2,3,5,6-Tetrachloroaniline	0.05
410.	Pyrifluquinazon	0.05	450.	Tetrachlorvinphos	0.05
411.	Pyriftalid	0.02	451.	Tetraconazole	0.05
412.	Pyrimethanil	0.05	452.	Tetradifon	0.05
413.	Pyrimidifen	0.05	453.	Tetramethrin	0.05
414.	Pyriofenone	0.05	454.	Tetraniliprole	0.05
415.	Pyriproxyfen	0.05	455.	Thenylchlor	0.05
416.	Pyroquilon	0.05	456.	Thiabendazole	0.05
417.	Quinalphos	0.05	457.	Thiacloprid	0.05
418.	Quinoxyfen	0.05	458.	Thiamethoxam	0.05
419.	Quintozene (PCNB)	0.02	459.	Thifluzamide	0.05
420.	Quizalofop-ethyl	0.05	460.	Thiobencarb	0.05
421.	Rotenone	0.05	461.	Thiodicarb	0.05
422.	Saflufenacil	0.05	462.	Thiofanox	0.05
423.	Salithion	0.03	463.	Thiometon	0.05
424.	Sedaxane	0.05	464.	Thiophanate-methyl	0.02
425.	Sethoxydim	0.05	465.	Tolclofos-methyl	0.05
426.	Silafluofen	0.05	466.	Tolfenpyrad	0.05
427.	Simazine	0.05	467.	Tolylfluanid	0.05
428.	Simeconazole	0.05	468.	trans-Chlordane	0.05
429.	Spinetoram J	2.25	469.	Triadimefon	0.05
430.	Spinetoram L	0.05	470.	Triadimenol	0.05
431.	Spinosyn A	2.25	471.	Tri-allate	0.05
432.	Spinosyn D	0.05	472.	Triazophos	0.05
433.	Spirodiclofen	0.05	473.	Tribufos	0.05
434.	Spiromesifen	0.05	474.	Trichlorfon	0.05
435.	Spirotetramat	0.05	475.	Tricyclazole	0.05
436.	Spiroxamine	0.05	476.	Tridemorph	0.05
437.	Sulfentrazone	0.05	477.	Tridiphane	0.05
438.	Sulfoxaflor	0.05	478.	Trifloxystrobin	0.05



484.

Uniconazole

食品實驗室-台北 FOOD LAB-TAIPEI 測 試 報 告 Test Report

Page: 10 of 14

Appendix

Report No. : AFA24103891M01

Date: 2024/01/17

Determination of 488 pesticide residues-Multiresidue Analysis Method Test items & LOQ List:

	Determination of the postione footage making of the post from the post from the post footage footage from the post footage from the							
No.	Test Item	LOQ	No.	Test Item	LOQ			
479.	Triflumezopyrim	0.05	485.	Vamidothion	0.05			
480.	Triflumizole	0.05	486.	Vinclozolin	0.05			
481.	Triflumuron	0.05	487.	XMC (Macbal)	0.05			
482.	Trifluralin	0.04	488.	Zoxamide	0.05			
483.	Triforine	0.05						

0.05



Page: 11 of 14

La Kaffa International Co., Ltd.

No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County, Taiwan

Report No. : AFA24103891M01

Date: 2024/01/17

<u>Product Name:</u> Featured Black Tea(Aromatic Black Tea)

Sample Packaging: Please refer to the photos for sample shown at the page of this report

Sample Condition/Amount : Ambient temp./1 piece

<u>Item No. :</u> TL0001700

Lot. No. :

Applicant: La Kaffa International Co., Ltd.

Applicant address/

telephone number/
No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County 30274, Taiwan/-/Quality Control Dept.

contact person :

Manufacturer/Vendor : —

Manufacture Date : —

Expiry Date : 2025/12/11

The above sample information is provided and confirmed by the applicant.

 Sample Received :
 2024/01/15

 Testing Date :
 2024/01/15

<u>Test Results:</u> -Please refer to next page(s)-

Chenge Liva Zan
Chengehalf sai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.





Page: 12 of 14

La Kaffa International Co., Ltd.

No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County, Taiwan

Report No. : AFA24103891M01

Date: 2024/01/17



Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit	Taiwan MRL	EU MRL
Diafenthiuron and Diafenthiuron-urea and Diafenthiuron methaneimide-amide	Refer to AOAC Official Method 2007.01 (2007) Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate. Analysis were performed by LC/MS/MS.	N.D.	0.02	ppm	5.0	0.01
Anthraquinone	Refer to AOAC Official Method 2007.01 (2007) Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate. Analysis were performed by GC/MS/MS.	N.D.	0.02	ppm	Not Detected	0.02*

Note:

- 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.
- 2. This testing report contains 14 pages and it's invalid when they are separated.
- 3. If the testing item belongs to quantitative analysis then this column describes Limit of Quantification(LOQ); If the testing item belongs to qualitative analysis then this column describes Limit of Detection(LOD).
- 4. Result reported as "N.D." or "Negative" denotes value lower than LOQ/LOD.
- 5. All items in this testing report is based on the request from client and we are responsible for that.
- 6. Taiwan Standards for Pesticide Residue Limits in Foods are according with MOHW regulations Food No. 1121302471 Amended, November 10, 2023.
- 7. EU Standards for Pesticide Residue Limits in Foods are according with EU legislation on MRLs.(Publication of Commission Regulation (EU) 396/2005 of 19 October 2023).
- 8. "*" Indicates lower limit of analytical determination.
- 9. The report, AFA24103891M01, was reissued on 2024/01/17.

- END -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd.



Page: 13 of 14

La Kaffa International Co., Ltd.

No. 98, Gaotie 9th Rd., Zhubei City, Hsinchu County, Taiwan

Report No. : AFA24103891M01

Date: 2024/01/17



Sample Photo





AFA24103891

AFA24103891







Page: 14 of 14

The information requested from client is shown as below:

AFA24103891M01

Test Item	Test Method	LOQ/LOD
Determination of 488 pesticide residues-Multiresidue Analysis Method	Refer to AOAC Official Method 2007.01 (2007) Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate.	Please refer to the result table above
Diafenthiuron and Diafenthiuron- urea and Diafenthiuron methaneimide-amide	Refer to AOAC Official Method 2007.01 (2007) Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate. Analysis were performed by LC/MS/MS.	Please refer to the result table above
Anthraquinone	Refer to AOAC Official Method 2007.01 (2007) Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate. Analysis were performed by GC/MS/MS.	Please refer to the result table above
Perchlorate	TFDA Suggestion Method published on 2016/10/13. Method of Test for Perchlorate in Tea.(TFDAO0026.00)	Please refer to the result table above